

Migrating from Intuity[™] Audix[®] LX R1.1 to Avaya Aura[™] Communication Manager Messaging Federal R6.3

Release 6.3 18-603640 June 2014 All Rights Reserved.

Notices

While reasonable efforts have been made to ensure that the information in this document is complete and accurate at the time of printing, Avaya assumes no liability for any errors. Avaya reserves the right to make changes and corrections to the information in this document without the obligation to notify any person or organization of such changes.

For full support, please see the complete document, Avaya Support Notices for Hardware Documentation, document number 03–600759.

To locate this document on our website, simply go to http://www.avaya.com/support and search for the document number in the search box.

Documentation disclaimer

"Documentation" means information published by Avaya in varying mediums which may include product information, operating instructions and performance specifications that Avaya may generally make available to users of its products and Hosted Services. Documentation does not include marketing materials. Avaya shall not be responsible for any modifications, additions, or deletions to the original published version of documentation unless such modifications, additions, or deletions were performed by Avaya. End User agrees to indemnify and hold harmless Avaya, Avaya's agents, servants and employees against all claims, lawsuits, demands and judgments arising out of, or in connection with, subsequent modifications, additions or deletions to this documentation, to the extent made by End User.

Link disclaimer

Avaya is not responsible for the contents or reliability of any linked websites referenced within this site or documentation provided by Avaya. Avaya is not responsible for the accuracy of any information, statement or content provided on these sites and does not necessarily endorse the products, services, or information described or offered within them. Avaya does not guarantee that these links will work all the time and has no control over the availability of the linked pages.

Warranty

Avaya provides a limited warranty on Avaya hardware and software. Refer to your sales agreement to establish the terms of the limited warranty. In addition, Avaya's standard warranty language, as well as information regarding support for this product while under warranty is available to Avaya customers and other parties through the Avaya Support website: <u>http://support.avaya.com</u> or such successor site as designated by Avaya. Please note that if you acquired the product(s) from an authorized Avaya Channel Partner outside of the United States and Canada, the warranty is provided to you by said Avaya Channel Partner and not by Avaya.

Copyright

Except where expressly stated otherwise, no use should be made of materials on this site, the Documentation, Software, Hosted Service, or hardware provided by Avaya. All content on this site, the documentation, Hosted Service, and the Product provided by Avaya including the selection, arrangement and design of the content is owned either by Avaya or its licensors and is protected by copyright and other intellectual property laws including the sui generis rights relating to the protection of databases. You may not modify, copy, reproduce, republish, upload, post, transmit or distribute in any way any content, in whole or in part, including any code and software unless expressly authorized by Avaya. Unauthorized reproduction, transmission, dissemination, storage, and or use without the express written consent of Avaya can be a criminal, as well as a civil offense under the applicable law.

Contact Avaya Support

See the Avaya Support website: <u>http://support.avaya.com</u> for Product or Hosted Service notices and articles, or to report a problem with your Avaya Product or Hosted Service. For a list of support telephone numbers and contact addresses, go to the Avaya Support website: <u>http://support.avaya.com</u> (or such successor site as designated by Avaya), scroll to the bottom of the page, and select Contact Avaya Support.

Contents

Chapter 1: Introduction	5
Purpose	
Intended audience	
Document changes since last issue	
Related resources	
Documentation	
Training	
Viewing Avaya Mentor videos	
Support	
Warranty	
Chapter 2: Migration overview	
Introduction	
Prerequisites	
Prerequisites	
Installing the latest patch on the Intuity Audix LX R1.1 system	
Verifying the number of subscribers on the Intuity Audix LX system	
FTP server requirement	
Determining the announcements installed on the Intuity Audix LX system	
Installing RFU.	
Verifying system-level settings on the Intuity Audix LX server	
Chapter 3: Backing up data on the INTUITY AUDIX LX R 1.1 server	
Logging in to the Intuity Audix LX R1.1 system	
Creating a Test Mailbox on the Intuity Audix LX server	
Backing up data from the Intuity Audix LX system	
Transferring migration data to the services laptop	
Clearing the ARP cache on the laptop	
Chapter 4: Installing Communication Manager Messaging R6.3	
System Platform Installation for Communication Manager Messaging Federal R6.3	
Installing the license file	
Assigning IP address to the WebLM Server	
Launching WebLM.	
Installing the License file	
Communication Manager Messaging Federal solution template installation	
Accessing the System Management Interface	
Obtain the Authentication file	
Installing the authentication file	
Downloading the Communication Manager patch	
Activating the Communication Manager patch	
Logging in to the messaging virtual system	

Administering the Switch Link	
Installing RFU	
Installing the language files for messaging	
Chapter 5: Migrating backup data to the Communication Manager Messaging	
Federal server	26
Copying files to the server	
Stopping Communication Manager Messaging	26
Migrating Intuity Audix LX data to Communication Manager Messaging R6.3	27
Testing if Migration is successful	28
Restarting the system	28

Chapter 1: Introduction

Purpose

This document describes the migration process from Intuity Audix server to Communication Manager Messaging.

Intended audience

The information in this book is intended for use by Avaya technicians, provisioning specialists, business partners, and customers.

Document changes since last issue

The following changes have been made to this document since the last issue:

Communication Manager Messaging Release 6.3 Service Pack 3 and above does not support migration from Intuity Audix R1.1 and Intuity Audix R2.0

Related resources

Documentation

The following table lists the documents related to this product. Download the documents from the Avaya Support website at <u>http://support.avaya.com</u>.

Document number	Title	Description	Audience
Implementation			

Document number	Title	Description	Audience
18-603644	Implementing Avaya Aura [®] Communication Manager Messaging	Describes the implementation instructions for Communication Manager Messaging.	Solution Architects, Implementation Engineers, Sales Engineers, Support Personnel
Migration			
18-603649	Migrating from Intuity [™] Audix [®] LX R1.1 to Avaya Aura [®] Communication Manager Messaging R6.3	Describes the migration scenario for Communication Manager Messaging.	Solution Architects, Implementation Engineers, Sales Engineers, Support Personnel
18-603650	Migrating from Intuity [™] Audix [®] LX R2.0 to Avaya Aura [®] Communication Manager Messaging R6.3	Describes the migration scenario forCommunication Manager Messaging.	Solution Architects, Implementation Engineers, Sales Engineers, Support Personnel

Training

The following courses are available on the Avaya Learning website at <u>http://www.avaya-</u> <u>learning.com</u>. After logging into the website, enter the course code or the course title in the **Search** field and click **Go** to search for the course.

Course code	Course title	Duration	Delivery Mode
4U00030E	Avaya Aura [®] Communication Manager and Communication Manager Messaging Embedded Implementation	54 hours	Self-directed and Instructor-facilitated
	This is a 54-hour course and consists of the following components:		
	• 4U00030E_TH – 18 hours – self-directed theory		
	 4U00030E_INTRO – 4 hours – instructor- facilitated overview of content 		
	 4U00030E_LAB – 32 hours – instructor- facilitated hands-on lab exercises using remote equipment 		
5U00060E	Avaya Aura [®] Communication Manager and Communication Manager Messaging Support	37 hours	Self-directed and Instructor-facilitated
	This is a 37-hour course and consists of the following components:		
	• 5U00060E_TH – 17 hours – self-directed theory		

Course code	Course title	Duration	Delivery Mode
	 5U00060E_INTRO – 4 hours – instructor- facilitated overview of content 		
	 5U00060E_LAB – 16 hours – instructor- facilitated hands-on lab exercises using remote equipment 		

Viewing Avaya Mentor videos

Avaya Mentor videos provide technical content on how to install, configure, and troubleshoot Avaya products.

About this task

Videos are available on the Avaya Support web site, listed under the video document type, and on the Avaya-run channel on YouTube.

Procedure

- To find videos on the Avaya Support web site, go to http://support.avaya.com, select the product name, and select the videos checkbox to see a list of available videos.
- To find the Avaya Mentor videos on YouTube, go to <u>http://www.youtube.com/AvayaMentor</u> and perform one of the following actions:
 - Enter a key word or key words in the Search Channel to search for a specific product or topic.
 - Scroll down Playlists, and click the name of a topic to see the available list of videos posted on the site.

😵 Note:

Videos are not available for all products.

Support

Visit the Avaya Support website at <u>http://support.avaya.com</u> for the most up-to-date documentation, product notices, and knowledge articles. You can also search for release notes, downloads, and resolutions to issues. Use the online service request system to create a service request. Chat with live agents to get answers to questions, or request an agent to connect you to a support team if an issue requires additional expertise.

Warranty

Avaya provides a 90-day limited warranty on Communication Manager. To understand the terms of the limited warranty, see the sales agreement or other applicable documentation. In addition, the standard warranty of Avaya and the details regarding support for Communication Manager in the warranty period is available on the Avaya Support website at <u>http://support.avaya.com/</u> under Help & Policies > Policies & Legal > Warranty & Product Lifecycle. See also Help & Policies > Policies & Legal > License Terms.

Chapter 2: Migration overview

Introduction

The migration process from Intuity Audix server to Communication Manager Messaging R6.3 involves the backup and migration of the following types of data:

- Subscribers
- Recorded names
- Personal greetings
- Messages
- Mailing lists
- · Class of service records
- Networked computers



Communication Manager Messaging Release 6.3 Service Pack 3 and above does not support migration from Intuity Audix R1.1 and Intuity Audix R2.0.

Prerequisites

Prerequisites

- Install the latest patch on the INTUITY AUDIX LX R1.1 system.
- Ensure that the number of subscribers on the Intuity Audix LX system does not exceed 15,000.
- · Ensure that you have an FTP server connected to the network.
- Determine the announcements installed on the INTUITY AUDIX LX system.
- If you found an Remote Field Update on the Avaya Support site, install the messaging Remote Field Update file.
- Determine the languages installed on the INTUITY AUDIX LX system.

Installing the latest patch on the Intuity Audix LX R1.1 system

About this task

You need to install the latest L6041pt+z patch for the network backup feature to be available on the Intuity Audix LX R1.1 system.

Important:

You need Avaya Technical Support to provide this patch for the migration. Raise a ticket to the Backbone Engineering (BBE) team to request the patch.

Procedure

- 1. Click **Start > Run**.
- 2. Type telnet Intuity Audix LX R1.1 IP address.
- 3. Copy the latest L6041pt+z patch to/var/msg/home/tsc/ path.
- 4. Open a compatible Web browser.
- 5. In the Address field, type the IP address of the Intuity Audix .LX R1.1 system.
- 6. Select Utilities > Software Management > Advance Software Installation > Choose LAN.
- 7. Enter the/var/msg/home/tsc/ path that contains the patch you need to install.
- 8. Press Enter.
- 9. Click Continue this operation without current system backup.
- 10. Choose the patch and proceed to install it.

Next steps

Verifying the installed patch

• Select Utilities > Backup Restore > Remote storage configuration menus.

Verifying the number of subscribers on the Intuity Audix LX system

About this task

The Intuity Audix LX system must not exceed 15,000 subscribers.

Procedure

- 1. Log in to the Intuity Audix LX system using PuTTy.
- 2. On the command line, type Fc.
- 3. In the Fc window, type list measurements feature day.

4. On the **Subscribers** field, ensure that the number in the **Local** field does not exceed 15,000.

FTP server requirement

Ensure that you have an FTP server connected to the network. The system requires the server to transfer backup data.

Determining the announcements installed on the Intuity Audix LX system

Procedure

- 1. Log in to the Intuity Audix LX server using PuTTy.
- 2. Open an SSH session.
- 3. On the command line, type Fc.
- 4. On the Fc window, type list annc-sets.

The system displays the announcements installed on the sever.

- 5. Note down the announcement sets that are installed on the server.
- 6. Type display system-parameters features.
- 7. Go to page 3. The **Announcements Sets: System** field displays the custom announcement sets installed on the server.

😵 Note:

Customized announcements are not migrated to the Communication Manager Messaging server.

Important:

During migration, install the language files on the Communication Manager Messaging Federal R6.3 server.

Installing RFU

About this task

Perform this procedure only if Communication Manager Messaging is enabled.

Skip this procedure if there are no remote field update (RFU) files on the Avaya Support site.

Procedure

1. On the System Management Interface Web page, select Administration.

2. Click Messaging.

The system displays the Messaging Administration screen.

- 3. Click Software Install from the Software Management section.
- 4. Click Continue without current system backup.

The system displays the Following packages will be installed... screen with a list of the messaging RFUs.

5. Click Installed selected packages.

Important:

The Communication Manager Messaging processes stop during RFU installation.

If the RFU modified the Messaging Administration Web page, you must close and reopen this page.

Do not start the messaging software at this time.

Verifying system-level settings on the Intuity Audix LX server

About this task

Ensure that settings for each of the options on the Intuity Audix LX server and the Communication Manager Messaging R6.3 server match.

Procedure

- 1. Log in to the Intuity Audix LX server.
- 2. Note down the settings for each of the following system-level settings on the Intuity Audix LX server and match it to the settings on the Communication Manager Messaging R6.3 server.

System-Parameters (Intuity Audix system)	Messaging Administration (System Management Interface > Administration> Messaging) (CM Messaging system)
activity-log	Under Messaging Administration -> Activity Log Configuration
analog-network	Under Server Administration -> Networked Servers
dial-sequences	Under Messaging Administration -> Dial Sequences
features	Under Messaging Administration -> Features
imapi-options	Under Messaging Administration -> MCAPI Options
limits	Under Messaging Administration -> Limits
outcalling	Under Messaging Administration -> Outcalling Options
sending-restrictions	Under Messaging Administration -> Sending Restrictions

	Messaging Administration (System Management Interface > Administration> Messaging) (CM Messaging system)
thresholds	Under Messaging Administration -> Thresholds

Chapter 3: Backing up data on the INTUITY AUDIX LX R 1.1 server

Logging in to the Intuity Audix LX R1.1 system Procedure

- 1. Open a PuTTY window.
- 2. Select SSH.
- 3. In the **Host Name (or IP address)** field, type the IP address of the INTUITY AUDIX R5.1 server.
- 4. Log in as craft.
- 5. For [ialx1]:craft>, type sroot.
- 6. For TERM = [4425]?, press Enter.
- 7. For [ialx1], type Fc.

The system displays the Intuity Main Menu screen.

Creating a Test Mailbox on the Intuity Audix LX server Procedure

- 1. Before you create the backup, create a test mailbox on the Intuity Audix LX server.
- 2. In the command line window, to add a subscriber, type add subscriber.

😵 Note:

To go to the next page, use the key combination **Control+N**.

- 3. On page 1, provide basic details for the new subscriber. Confirm the extension range before assigning one to the subscriber.
- 4. Go to page 2. In the **Permissions** > **Type** field, type call-answer. This sets the type of call answer for the subscriber.
- 5. In **Permissions > Announcement Control** field, enter y to record names.

6. Save the settings. The test mailbox is added to the list of existing mailboxes.

To confirm the test mailbox has been added, on the Audix Administration page, type list subscribers and press Enter. The system displays the list of subscribers.

7. Use the Telephone User Interface (TUI) to record names and greetings. Use another mailbox to send messages to the test mailbox.

Backing up data from the Intuity Audix LX system Procedure

- 1. Open a compatible Web browser and type the IP address of the Intuity Audix LX system.
- 2. Log in as craft.
- 3. On the Legend, select **Backup / Restore > Backup**.
- 4. Enter Yes for all data types except Announcements.
- 5. Click Start Backup.

Transferring migration data to the services laptop

Before you begin

Change your laptop network settings to use an IP address on the customers network.

Plug a straight cable into a hub or router port, and then connect to the server using FTP connection to get the tar files.

Procedure

- 1. On the services laptop, click Start > Run, and type cmd.
- 2. On the prompt, type ftp *IPaddressoftheftpserver*.
- 3. Type Binary.
- 4. Type Hash.
- 5. Type 1s. All files in the directory are displayed.
- 6. Identify the file that you backed up and type cd directoryname to change the directory.
- 7. Type 1s to view files under the main backup file.
- 8. If you backed up files in a subdirectory, type cd subdirectoryname.
- 9. Type 1s to view the files under the subfolder.
- 10. Type get tarfilename. The file is copied to the services laptop.

11. Type **bye** to log out of Unix.

Next steps

Once the files are on the services laptop, change the network settings back to DHCP.

Use a crossover cable and connect to the services port on the Communication Manager Messaging server.

Clearing the ARP cache on the laptop

About this task

Depending on the operating system of your Services laptop computer, you might need to clear the Address Resolution Protocol (ARP) cache before you enter a new IP address. If you enter an IP address and your computer cannot connect, perform the following procedure to clear the cache.

Procedure

- 1. On your computer laptop, click **Start > Run**.
- 2. Type **command** and press **Enter** to open an MS-DOS command line window.
- 3. Type arp -d 192.11.13.6 and press Enter to clear the ARP cache in the laptop.

If the ARP cache does not contain the specified IP address, the message The specified entry was not found appears. You can ignore this message.

4. Type **exit** and press **Enter** to close the command line window.

Chapter 4: Installing Communication Manager Messaging R6.3

System Platform Installation for Communication Manager Messaging Federal R6.3

To install System Platform for Communication Manager Messaging Federal R6.3, see the *Implementing Avaya Aura*[™] Communication Manager Messaging Federal R6.3.

To upgrade System Platform for Communication Manager Messaging Federal Release 6.3, see the *Upgrading Avaya Aura*[®] System Platform.

Important:

Do not install the Communication Manager Messaging Federal solution template R6.3 after installing the System Platform. You must install the solution template only after installing the licenses.

Next steps

Install the licenses for Communication Manager and Communication Manager Messaging Federal using the CDOM Web interface.

Installing the license file

Assigning IP address to the WebLM Server

Procedure

- 1. Log in to the System Management Interface Web page.
- 2. On the Administration menu, click Licensing.

The system displays the WebLM Configuration Web page.

3. If the customer has a standalone WebLM Server and wishes to point to that server, enter the IP address of the standalone WebLM Server.

😵 Note:

By default, the system takes the IP address of cdom (console domain of the virtual machine) for the WebLM Server. This is because the WebLM Server is installed on cdom during the installation of System Platform.

Launching WebLM

Before you begin

You are using one of the following Internet browsers:

- Microsoft Internet Explorer, versions 7.x and 8.x
- Mozilla Firefox, versions 3.5 and 3.6

About this task

System Platform uses Web License Manager (WebLM) to manage its licenses. Use this procedure to launch WebLM from System Platform.

Procedure

- 1. Click Server Management > License Management.
- 2. On the License Management page, click Launch WebLM License Manager .
- 3. When WebLM displays its Logon page, enter the user name and password for WebLM. For initial login to WebLM, the user name is admin, and the password is weblmadmin. However, you must change the password the first time that you log in to WebLM.
- 4. Manage the licenses as appropriate.

For more information on managing licenses in Avaya WebLM, see *Installing and Configuring Avaya WebLM Server* at <u>http://support.avaya.com</u>.

Installing the License file

Before you begin

Procure the license file for the messaging system from https://plds.avaya.com.

Procedure

- 1. Log in to the System Platform Web console from a Web browser.
- 2. Click Server Management > License Management.

The system displays the License Management screen.

- 3. Click Launch WebLM License Manager.
- 4. Log in as admin.
- 5. Change the password.

The system logs out and you need to re-login using the new password.

- 6. On the Install License screen, locate the license path.
 - Note:

You can store the license file on an HTTP server or locally on the services laptop computer.

7. Click Install.

Next steps

After you install the license file, the WebLM License Manager screen displays the installed license on the License Products screen.

Install license field descriptions

Use this page to install the license file of a product on the WebLM server.

Field/Button	Description
Enter license path	Specify the complete path where you saved the license file.
Browse	Opens the dialog box using which you can select the license file.
Install	Installs the product license file.

Communication Manager Messaging Federal solution template installation

Prerequisite

Install the license for Communication Manager and Communication Manager Messaging Federal.

Refer to the *Implementing Avaya Aura*[™] Communication Manager Messaging Federal book to install the Communication Manager Messaging Federal solution template.

Accessing the System Management Interface

About this task

You can gain access to SMI remotely through the corporate LAN connection, or directly from a portable computer connected to the server through the services port.

If the server is not connected to the network, you must access the SMI directly from a portable computer connected to the server through the services port.

Procedure

1. Open a compatible Web browser.

Currently, SMI supports Internet Explorer 7.0, and Mozilla Firefox 3.6 and later.

- 2. In your browser, choose one of the following options depending on server configuration:
 - LAN access by IP address

To log on to the corporate LAN, type the unique IP address of the S8xxx Server in the standard dotted-decimal notation, such as http://192.152.254.201.

· LAN access by host name

If the corporate LAN includes a domain name service (DNS) server that is administered with the host name, type the host name, such as http://media-server1.mycompany.com.

• Portable computer access by IP address

To log on to the services port from a directly connected portable computer, the IP address must be that of the IP address of the Communication Manager server.

3. Press Enter.

😵 Note:

If your browser does not have a valid security certificate, you see a warning with instructions to load the security certificate. If you are certain your connection is secure, accept the server security certificate to access the Logon screen. If you plan to use this computer and browser to access this or other S8xxx Servers again, click the main menu link to **Install Avaya Root Certificate** after you log in.

The system displays the Logon screen.

4. In the **Logon ID** field, type your user name.

Note:

If you use an Avaya services login that is protected by the Access Security Gateway (ASG), you must have an ASG tool to generate a response for the challenge that the Logon page generates. Many ASG tools are available such as Avaya Token Mobile, Avaya Web Mobile, and Site Manager. The first two ASG tools must be able to reach the ASG manager servers behind the Avaya firewall. The Avaya Services representative uses Site Manager to pull the keys specific to a site before visiting that site. At the site, the Avaya Services representative uses those keys to generate a response for the challenge generated by the Logon page.

- 5. Click Continue.
- 6. Type your password, and click Logon.

After successful authentication, the system displays the home page of the Communication Manager SMI.

Obtain the Authentication file

Installing the authentication file

Procedure

- 1. In the navigation pane, click **Security > Authentication File**.
- 2. If you have a downloaded copy of the authentication file, select **Install the Authentication file I previously downloaded**.
- 3. If you have an authentication file either on a local computer or the WebLM server, do one of the following tasks as applicable:
 - Click Browse and locate the authentication file.
 - In the **URL** field, type the URL of the authentication file and in the **Proxy Server** field, type the hostname of the WebLM server.
- 4. Click Install.

Downloading the Communication Manager patch

Procedure

- 1. On the System Management Web interface, click Administration > Server (Maintenance).
- 2. In the Miscellaneous field, click Download Files.
- 3. Select one of the following methods to download the patch:
 - File(s) to download from the machine I'm using to connect to the server.
 - File(s) to download from the LAN using URL.
- 4. Depending on the download method you select, perform either of the following:
 - Click **Browse** to download the patch.
 - Enter the URL to download the patch and enter the host name and domain name of the proxy server.
- 5. Click Download.

Activating the Communication Manager patch

Procedure

- 1. In the Server Upgrade field, click Manage Updates.
- 2. Select the patch.
- 3. Click Unpack.
- 4. Click Activate.

Logging in to the messaging virtual system Procedure

1. Open a compatible Web browser.

Currently only Microsoft Internet Explorer versions 7.0 and 8.0 are supported.

 In the Address (or Location) field, type the IP address or name of the Communication Manager Messaging Federal virtual system and press Enter. For example, http:// CMMIPaddress.domain.com.

The system displays the Logon screen.

3. Log in as craft.

The system displays the System Management Interface Web page.

4. Click Administration > Messaging.

The system displays the Messaging Administration page. You can administer Communication Manager Messaging Federal application from this page.

Administering the Switch Link

Procedure

- 1. On the navigation pane, under Switch Link Administration, click Switch Link Admin..
- 2. In the Switch Number field, type 1.
- 3. In the **Extension Length** field, select the appropriate length or select **Variable** for variable extensions.

😵 Note:

The extension length must match the length assigned to the station on Communication Manager

- 4. In the **Switch Integration Type** field, enter H.323 as the type of integration between the Communication Manager virtual system and the Communication Manager Messaging virtual system.
- 5. In the IP Address Version field, select IPv4 or IPv6.
- 6. In the **Link Addresses** > **Switch** field, type the IP address of the Communication Manager virtual system.
- 7. In the **Messaging Ports** field, enter the number of voice ports the messaging virtual system uses for mailbox connections to the Communication Manager virtual system.
- 8. In the **Switch Trunks** > **Total** field, enter the value of the total switch trunks for Communication Manager.

Note:

You might want to determine the capacity for Messaging at this point. For the procedure, see *Implementing Avaya Aura*®*Communication Manager Messaging*.

9. In the **Signal Group 1** field, enter the value of the Messaging TCP port as 11720 and the Switch TCP port as 1720. The port numbers have to be different because Communication Manager and Communication Manager Messaging share the same IP address.

10. Click Show Advanced Options

The system displays advanced options that you need to administer.

- 11. In the **Quality of Service** field, type a value for Call Control Per Hop Behavior (PHB) and Audio PHB or accept the default values. The value you enter for both the fields sets the quality of service level for call control messages and audio streams respectively on networks that support this feature. The value for both the fields must be in the range 0 to 63. The value must match the corresponding number configured for the network region used by the messaging signaling group on the switch.
- 12. In the **UDP Port Range** field, enter a starting UDP port number for RTP. The end port number is calculated automatically.
- 13. If you have configured SRTP for messaging, in the **Media Encryption** field, enter the type of Secure Real-time Transport Protocol (SRTP) encryption for messaging.

Important:

You need to enable the SRTP feature in the change customer-options form and set the media encryption type in the change ip-codec-set form on Communication Manager.

14. Type the **Passphrase**. This must match the Passphrase administered on the Communication Manager. This field is optional and is to be used only if SRTP encryption has been set on Communication Manager.

15. Click Save.

The system calculates the number transfer ports and displays them in the **Transfer Ports** field.

😵 Note:

The number of the H.323 trunks set on the Communication Manager virtual machine server must accommodate the sum of voice ports and transfer ports you administer on the Switch Link screen. This number of H.323 trunks for messaging is in addition to the H.323 trunks that the Communication Manager virtual machine requires for other functions, such as IP telephone connections, faxes, and other data connections throughout the network. The number of H.323 trunks on the Communication Manager virtual machine is listed in the **Maximum Number of H.323 Trunks** field, which is available on the System Parameters Customer Options SAT screen.

Installing RFU

About this task

Perform this procedure only if Communication Manager Messaging is enabled.

Skip this procedure if there are no remote field update (RFU) files on the Avaya Support site.

Procedure

- 1. On the System Management Interface Web page, select Administration.
- 2. Click Messaging.

The system displays the Messaging Administration screen.

- 3. Click Software Install from the Software Management section.
- 4. Click Continue without current system backup.

The system displays the Following packages will be installed... screen with a list of the messaging RFUs.

5. Click Installed selected packages.

Important:

The Communication Manager Messaging processes stop during RFU installation.

If the RFU modified the Messaging Administration Web page, you must close and reopen this page.

Do not start the messaging software at this time.

Installing the language files for messaging Procedure

1. On the System Management Web interface, click Administration > Messaging.

- 2. Select Software Management.
- 3. Click Advanced Software Installation.
- 4. Click Install selected package.
- 5. Select the announcement sets that need to be installed.
- 6. Click Proceed with installation.

Chapter 5: Migrating backup data to the Communication Manager Messaging Federal server

Copying files to the server

About this task

Use the Web interface of the System Management Interface to copy the latest RFUs, if any, and optional languages, if any, from the Services laptop to the virtual system. The backup tar files need to be copied from the laptop to the Messaging server.

Procedure

- 1. Select Administration.
- 2. Click Server (Maintenance).
- 3. In the navigation pane, select **Miscellaneous**, click **Download Files**.
- 4. Select one of the following:
 - File(s) to download from the machine I'm using to connect to the server
 - File(s) to download from the LAN using URLs
 - a. Enter the name of the proxy server.
- 5. Click **Browse** to locate the file(s).
- 6. Click **Download** to copy the files to the media server.

Stopping Communication Manager Messaging Procedure

1. Select Administration, click Messaging.

The system displays the Messaging Administration screen.

2. On the left navigation pane, select **Utilities**, select **Stop Messaging**.

The system displays the Stop Messaging Software screen.

3. Click Stop.

The Stop Messaging Software screen displays the status as messaging begins to stop. When Messaging stops, the screen displays the message, Stop of voice system completed at the top of the screen.

Migrating Intuity Audix LX data to Communication Manager Messaging R6.3

Procedure

- 1. Open a PuTTy window.
- 2. Ensure that in the **Category** column, **Session** (first on the column) is selected by default.
- 3. In the **Host Name (or IP address)** field, enter the name of the server name or IP address you want to connect to.
- 4. In the **Connection** type field, select **ssh**. ssh uses port 22.
- 5. Click Open.
- 6. Log in using craft.
- 7. Type **statapp** -c to check if the messaging process is up.
- 8. If the messaging process is up, stop messaging by typing stop -s Audix.
- 9. In the ssh session, enter /vs/bin/mv_backup_files, to move the backup tar files from ~ftp/pub into a temporary folder.
- 10. Log in to the Communication Manager System Management Interface Web interface.
- 11. Select Miscellaneous > Messaging Administration.
- 12. Select Start Messaging. The database conversion begins automatically.
- 13. In the ssh session window, type cd /migrate/ialx/log.
- 14. Execute tail -f migration_log.

Watch the database migration proceed. When this log stops growing and you see a line containing Executing.ia_restore -f /var/ backup/lx_messaging-1.tar (multiple tar files are displayed in the log when the backup contains multiple files), the next phase of the migration is underway.

- 15. Type control-c to abort the tail command.
- 16. Type tail -f restore_log to monitor the progress of the database restore and upgrade.

This log also shows the status of transcoding names and messages from Code excited linear prediction (CELP) to G.711. After transcoding is complete, the database is upgraded to the

current release. When this log stops growing and you see a line with the phrase Executing /mtce/scripts/restore/S10checkfs.postpost, the restore is finished and the migration continues.

- 17. Type control-c to abort the tail command.
- 18. Type tail -f migration log and you can monitor the final phase of the migration.

When this log stops growing and you see a line containing The migration has completed, it means migration is finished and messaging starts automatically.

19. Type control-c to abort the tail command.

Important:

You might need to wait a few minutes before Messaging starts automatically.

Testing if Migration is successful

Procedure

- 1. Log in to the Communication Manager System Management Web Interface.
- 2. Select Administration > Messaging.
- 3. Select Messaging Administration > Subscriber Management.
- 4. Click **Manage** on the Local Subscribers row to find the migrated test mailbox listed as Local Subscribers.
- 5. Confirm what data has been successfully migrated. For example, call the test mailbox extension to listen to the greeting that you created. Furthermore, you can listen to messages on the mailbox that you created while creating the test mailbox.

Important:

During migration, most of the system administration data is not migrated. Avaya recommends that you revalidate the system administration after the migration is complete. For example, you must revalidate System-Parameters Features, System Out calling.

Restarting the system

Procedure

1. Open a compatible Internet browser on your computer.

Currently System Management Interface only supports Microsoft Internet Explorer 7.0, 8.0 and Mozilla Firefox 3.6 and above.

- 2. Enter the IP address of the Communication Manager virtual machine.
- 3. On the System Management Interface Web page, select Administration.
- 4. Click Server (Maintenance).
- 5. In the navigation pane, click **Server > Shutdown Server**.

The system displays the Shutdown This Server Web page.

- 6. Select Immediate Shutdown.
- 7. Select the **Restart server after shutdown** check box.
- 8. Click Shutdown.

The Communication Manager virtual machine restarts. The server takes approximately 10 to 15 minutes to restart.

Index

Α

Activating the Communication Manager patch	
Assigning IP address to the WebLM Server	
Avaya S8xxx Servers accessing the System Management Interface	<u>19</u>

В

Backing up data from	Intuity Audix LX system	15
Buoking up data nom		····· <u>···</u>

С

Clearing the ARP cache on the laptop <u>16</u>
Communication Manager Messaging Federal solution
template installation <u>19</u>
Copying files to the server
Creating a Test Mailbox on the Intuity Audix LX server 14

D

Determining the announcements installed on the Intuity Audix
LX system <u>11</u>
document changes <u>5</u>
Downloading the Communication Manager patch

F

FTP server requirement <u>11</u>

I

implementation installing authentication file	
Installing Remote Field Update	
Installing the Communication Manager Messaging lar	nguage
files	<u>24</u>
Installing the latest patch for Intuity Audix LX R1.1	<u>10</u>
Installing the License file	<u>18</u>
Install License page	<u>19</u>
Introduction	

L

legal notices	
licenses	
managing	<u>18</u>
Logging in to the Intuity Audix LX R1.1 system	
Logging in to the messaging virtual system	

Μ

Migrating Intuity Audix LX data to Communication Manager
Messaging R6.327

N

notices,	legal	
----------	-------	--

Ρ

```
Prerequisites ......9
```

R

related documentation	<u>5</u>
Restarting the system .	

S

)
<u>}</u>
2
_

Т

Testing if Migration is successful	<u>28</u>
training	<u>6</u>
Transferring migration data to services laptop	

V

Verifying system-level settings
Intuity Audix LX server <u>12</u>
Verifying the number of subscribers on the Intuity Audix LX
system
videos <u>7</u>

w

Warranty	<u>8</u>
Web License Manager	
launching	<u>18</u>
WebLM	
launching	<u>18</u>